



BenQ LU935ST Short throw projector 5500 ANSI lumens DLP WUXGA (1920x1200) 3D Black

Brand : BenQ

Product code: 9H.JNC77.15R

Product name : LU935ST



- HASSLE-FREE INSTALLATION - With V/ H lens shift, 2D keystone and corner fit
- AMAZING COLOR ACCURACY - 92% Rec 709 color accuracy to see every detail
- FAST <17ms response enables realistic simulation and gaming
- 5500 ANSI LUMENS FOR Big screens - Will effortlessly fill large screens up to 20 feet wide
- MAINTENANCE FREE DESIGN - Sealed IP5X laser engine means no dirty projector filters and 20,000 hour laser life
0.48", 1920 x 1200 WUXGA, 5500 ANSI, 32/39 dBA, 16:10, IP5X, 1.1x, HDMI, RJ-45, USB, 416 x 166 x 351 mm, 7 kg



Projector		Ports & interfaces	
Screen size compatibility *	762 - 7620 mm (30 - 300")	PC in (D-Sub)	✓
Projector brightness *	5500 ANSI lumens	VGA (D-Sub) ports quantity *	1
Projection technology *	DLP	HDMI ports quantity *	2
Projector native resolution *	WUXGA (1920x1200)	3D sync port	✓
Contrast ratio (typical) *	3000000:1	Network	
Native aspect ratio *	16:10	Ethernet LAN *	✓
Number of colours	1.07 billion colours	Ethernet LAN (RJ-45) ports	1
Horizontal scan range	15 - 135 kHz	Features	
Vertical scan range	24 - 120 Hz	On Screen Display (OSD)	✓
Keystone correction, horizontal	30°	On Screen Display (OSD) languages Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese	
Keystone correction, vertical	30°		
Light source		Number of OSD languages	30
Light source type *	Laser	Noise level *	39 dB
Service life of light source *	20000 h	Multimedia	
Lens system		Built-in speaker(s) *	✓
Focus *	Manual	RMS rated power	10 W
Focal length range	8.6 - 9.4 mm	Number of built-in speakers	2
Aperture range (F-F)	1.83 - 1.86	Design	
Zoom type	Manual	Product type *	Short throw projector
Throw ratio	0.81 - 0.89	Product colour *	Black
Horizontal lens shift range	-23 - 23%		
Vertical lens shift range	-60 - 60%		
Offset	0%		
Video			
Analog signal format system *	NTSC, PAL, SECAM		
Full HD *	✓		
3D *	✓		

Video		Power		
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom	Power source *	AC	
	640 x 512, 640 x 640, 640 x 160, 640 x 352, 640 x 360, 640 x 400, 640 x 480 (VGA), 640 x 544, 640 x 576, 640 x 960, 704 x 480, 704 x 576, 720 x 350, 720 x 400, 720 x 480, 720 x 576, 720 x 720, 752 x 582, 768 x 432, 768 x 448, 768 x 494, 768 x 576, 800 x 448, 800 x 450, 800 x 480 (WVGA), 800 x 500, 800 x 592, 800 x 600 (SVGA), 832 x 624, 832 x 642, 848 x 480, 854 x 480 (WVGA), 900 x 720, 960 x 960, 960 x 480, 960 x 540, 960 x 576, 960 x 720, 1024 x 576 (WSVGA), 1024 x 600, 1024 x 640, 1024 x 768 (XGA), 1024 x 800, 1032 x 452, 1056 x 144, 1080 x 1080, 1152 x 864 (XGA+), 1152 x 870, 1200 x 1600, 1200 x 1920, 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 768, 1280 x 800 (WXGA), 1280 x 800, 1280 x 960, 1280 x 1280, 1284 x 560, 1296 x 732, 1360 x 768 (WXGA), 1366 x 480, 1366 x 760, 1366 x 768, 1366 x 768, 1368 x 768, 1376 x 768, 1400 x 1050 (SXGA+), 1400 x 1080, 1400 x 900, 1440 x 1050, 1440 x 1080, 1440 x 234, 1440 x 900 (WXGA+), 1440 x 900, 1440 x 912, 1536 X 6144, 1536 x 2048, 1536 x 1536, 1600 x 1200 (UXGA), 1600 x 1280, 1600 x 600, 1600 x 900, 1600 x 904, 1680 x 1050 (WSXGA+), 1680 x 1056, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 1920 x 1440, 1920 x 1600, 1920 x 480, 1920 x 502, 1920 x 1920, 1920 x 2160, 1920 x 720, 1920 x 832, 2032 x 1920, 2048 x 1080, 2048 x 1152, 2048 x 1280, 2048 x 1520, 2048 x 1536 (QXGA), 2048 x 1640, 2048 x 2560, 2048 x 2048, 2192 x 2192, 2304 x 1296, 2304 x 1728, 2520 x 1520, 2550 x 1440, 2560 x 1080, 2560 x 1440, 2560 x 1600 (WQXGA), 2560 x 1656, 2560 x 1920, 2560 x 1944, 2560 x 2048, 2592 x 1520, 2592 x 1944, 2640 x 2640, 2688 x 1512, 2688 x 1520, 2800 x 2100, 2880 x 1264, 2880 x 1620, 2880 x 2880, 2880 x 2160, 2944 x 1656, 2992 x 2244, 3072 x 1728, 3072 x 2048, 3200 x 1800, 3264 x 2448, 3280 x 2048, 3440 x 1440, 3648 x 2736, 3840 x 1024, 3840 x 1080, 3840 x 1200, 3840 x 1600, 3840 x 1680, 3840 x 2160, 3840 x 2400, 3840 x 2880, 3860 x 2160	Power consumption (typical) *	440 W	
			Power consumption (standby) *	0.5 W
			Power consumption (max)	495 W
			Power consumption (economy mode)	315 W
			AC input voltage	100 - 240 V
			Operational conditions	
			Operating temperature (T-T)	0 - 40 °C
			Weight & dimensions	
			Width	416 mm
		Depth	351 mm	
		Height	166 mm	
		Weight *	7 kg	
		Packaging content		
		Remote control included *	✓	
		Remote control type	Wired	
		Batteries included	✓	
		Cables included	AC	
		Other features		
		Security updates end date	31/12/2024	
Supported graphics resolutions				
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p			
Ports & interfaces				
HDMI version	2.0a			
HDBaseT port	✓			
USB 2.0 ports quantity	1			
Audio (L/R) in *	1			
Serial interface type *	RS-232			
PC Audio in	✓			
PC Audio out	✓			



0840046044176



840046044176

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.