




LG 55VL5PJ-A video wall display LCD Indoor

Brand : LG

Product code: 55VL5PJ-A

Product name : 55VL5PJ-A

LG 55VL5PJ-A. Display diagonal: 139.7 cm (55"), Display resolution: 1920 x 1080 pixels, Display technology: LCD, Display brightness: 500 cd/m², HD type: Full HD, Operating hours (hours/days): 24/7. Product colour: Black



Display		Ports & interfaces	
Display technology *	LCD	RS-232C	✓
Display diagonal	139.7 cm (55")	USB port	✓
Display resolution	1920 x 1080 pixels	USB ports quantity	1
HD type	Full HD	USB version	2.0
Panel type	IPS	HDCP	✓
Aspect ratio	16:9	HDCP version	2.2
Display brightness *	500 cd/m ²	Audio input	✓
Display number of colours	1.07 billion colours	Audio output	✓
Contrast ratio (typical)	1200:1		
Response time	0.008 s		
Native refresh rate	60 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Colour gamut	72%		
Colour depth	10 bit		
Panel life	60000 h		
Operating hours (hours/days)	24/7		
Design		Power	
Placement supported *	Indoor	Power consumption (typical) *	135 W
Orientation *	Horizontal/Vertical	Power consumption (max)	150 W
Bezel width (top)	2.25 mm	Power consumption (standby)	0.5 W
Bezel width (bottom)	1.25 mm	Power consumption (sleep)	0.5 W
Tiled bezel width	3.5 mm	Energy efficiency scale	A to G
VESA mounting	✓	Energy efficiency class (SDR)	G
Panel mounting interface	600 x 400 mm	Energy consumption (SDR) per 1000 hours	88 kWh
Product colour	Black	AC input voltage	100 - 240 V
		AC input frequency	56/60 Hz
		Heat dissipation	461 BTU/h
Ports & interfaces		Operational conditions	
HDMI input ports quantity	2	Operating temperature (T-T)	0 - 40 °C
DVI-D ports quantity	1	Operating relative humidity (H-H)	10 - 80%
DisplayPorts quantity	2		
DisplayPorts in	1		
DisplayPorts out	1		
Ethernet LAN	✓		
Ethernet LAN (RJ-45) ports	1		
RS-232 input ports	1		
		Weight & dimensions	
		Width	1213.4 mm
		Depth	93.1 mm
		Height	684.2 mm
		Weight	23.5 kg
		Packaging data	
		Cables included	AC, DisplayPort, IR
		Remote control included	✓
		Package width	1337 mm
		Package depth	247 mm

Ports & interfaces		Packaging data	
RS-232 output ports	1	Package height	833 mm
		Package weight	26.9 kg



0195174013885



195174013885



8806091383075

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.