

Viewsonic LX700-4K data projector 3500 ANSI lumens DMD UHD 4K (3840x2160) White

Brand : Viewsonic

Product code: LX700-4K


Product name : LX700-4K

3840 x 2160, 3500 ANSI Lumens, 0.56" DMD, 1.36 Optical Zoom, 3000000:1, 180W
Viewsonic LX700-4K. Projector brightness: 3500 ANSI lumens, Projection technology: DMD, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: 15.985 - 21.423 mm, Aperture range (F-F): 2.51 - 2.93, Throw ratio: 1.06 - 1.45. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI version: 2.0b, Service port type: USB Type-A



Projector		Network	
Smart projector *	✗	Smart TV *	✗
Screen size compatibility *	762 - 7620 mm (30 - 300")	Ethernet LAN *	✗
Projector brightness *	3500 ANSI lumens	Wi-Fi *	✗
Projection technology *	DMD	Storage	
Projector native resolution *	UHD 4K (3840x2160)	Card reader integrated *	✗
Contrast ratio (typical) *	3000000:1	Features	
Native aspect ratio *	16:9	Interactive *	✗
Number of colours	1.07 billion colours	Noise level (economic mode)	26 dB
Horizontal scan range	15 - 135 kHz	HDCP	✓
Vertical scan range	23 - 240 Hz	Noise level *	31 dB
Keystone correction, horizontal	-30 - 30°	Multimedia	
Keystone correction, vertical	-30 - 30°	Built-in speaker(s) *	✓
Matrix size	1.65 cm (0.65")	RMS rated power	15 W
Light source		Number of built-in speakers	1
Light source type *	Laser	Design	
Service life of light source *	20000 h	Market positioning *	Home cinema
Service life of light source (economic mode)	30000 h	Product colour *	White
Lens system		Display	
Focal length range	15.985 - 21.423 mm	Built-in display *	✗
Aperture range (F-F)	2.51 - 2.93	Power	
Throw ratio	1.06 - 1.45	Power source *	AC
Vertical lens shift range	-15 - 0%	Power consumption (typical) *	180 W
Offset	137%	Power consumption (standby) *	0.5 W
Video		AC adapter output voltage	100 - 240 V
Analog signal format system *	Not supported	Operational conditions	
Full HD *	✓	Operating temperature (T-T)	0 - 40 °C
3D *	✗	Weight & dimensions	
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Width	286 mm
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	Depth	216 mm
Ports & interfaces		Height	129 mm
HDMI version	2.0b	Weight *	3.3 kg
Service port type	USB Type-A	Package width	400 mm
USB 2.0 ports quantity	1	Package depth	155 mm
Headphone outputs	1	Package height	280 mm
Serial interface type *	RS-232		
HDMI ports quantity *	2		

Ports & interfaces		Weight & dimensions	
DVI port *	✗	Package weight	4.7 kg
DC-in jack	✓	Packaging content	
Audio Return Channel (ARC)	✓	Remote control included *	✓
		Cables included	AC
		Logistics data	
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907023961



766907023961

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.