DELL Pro Plus P2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver



Brand : DELL **Product family:** Pro Plus **Product code:** DELL-P2725QE

Product name : P2725QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort

68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1500:1

DELL Pro Plus P2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver:

Stay productive with this 27-inch 4K monitor featuring extensive connectivity and certified by TÜV for 4 star eye comfort.
DELL Pro Plus P2725QE. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver

Display	
Display diagonal *	68.6 cm (27")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	350 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080p, 2160p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Response time (fast)	5 ms
Pixel pitch	0.1554 x 0.1554 mm
Pixel density	163 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 227 kHz
Digital vertical frequency	48 - 100 Hz

Ergonomics	
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-45 - 45°
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power	
Energy efficiency class (SDR) *	F
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	26 kWh
Power consumption (typical) *	19.6 W
Power consumption (standby) *	0.3 W
Power consumption (max)	200 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C

Display	
High Dynamic Range (HDR) supported	✗
Surface hardness	3H
sRGB coverage (typical)	99%

Performance	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia	
Built-in speaker(s) *	✗
Built-in camera *	✗

Design	
Market positioning *	Office
Product colour *	Black, Silver
Front bezel colour	Black
Detachable stand	✓
Feet colour	Silver

Ports & interfaces	
Built-in USB hub *	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	✓
USB Power Delivery (USB PD)	✓
USB Power Delivery up to	90 W
HDMI *	✓
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✗
HDCP	✓
HDCP version	2.3

Network	
Wi-Fi	✗
Ethernet LAN	✓

Ergonomics	
VESA mounting *	✓
Panel mounting interface	100 x 100 mm
Wall mountable	✓

Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12191 m

Weight & dimensions	
Width (with stand)	612.5 mm
Depth (with stand)	192.2 mm
Height (with stand)	535.7 mm
Weight (with stand)	6.23 kg
Width (without stand)	612.5 mm
Depth (without stand)	50 mm
Height (without stand)	356.6 mm
Weight (without stand)	4.62 kg
Bezel width (side)	7.88 mm
Bezel width (top)	7.88 mm
Bezel width (bottom)	1.3 cm

Packaging data	
Package weight	9.02 kg

Packaging content	
Stand included	✓
Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Power adapter included	✗
Remote control included	✗
Stylus included	✗

Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR

Carbon footprint	
Total carbon footprint (kg of CO2e)	265
Carbon emissions, manufacturing (kg of CO2e)	117.4
Carbon emissions, logistics (kg of CO2e)	16.96
Carbon emissions, energy usage (kg of CO2e)	124.29
Carbon emissions, end-of-life (kg of CO2e)	6.1
PAIA version	GaBi version 1, 2024

Other features	
RJ-45 ports quantity	1
Packaging content	1 x USB-C to C 10Gbps, 100W cable -1.00 m
Compliance certificates	RoHS



5397184962497



0884116487524



884116487524



5715328205512



5715328115958

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-AUG-2026. Prints or copies of Information are only valid on the printed Publication date